

# UVR

## AM Plus Series 1080P<sub>Lite</sub>

UVR7TAA04AMPlus-D54G	28,890,000 IR
UVR7TAA08AMPlus-D58G	39,240,000 IR
UVR7TCA16AMPlus-D5C6	67,580,000 IR

## AH Series 5MP<sub>Lite</sub>

UVR7TAA04AH-D14G	39,900,000 IR
UVR7TAB08AH-D18A	62,000,000 IR

## H Series 5MP<sub>Lite</sub>

UVR7TAA04H-D54G	38,050,000 IR
UVR7TCA08H-D58G	59,080,000 IR
UVR7THB16H-D5C8	119,900,000 IR
UVR7THB16H-G1C5	136,250,000 IR

## RQ & Q Series 8MP

UVR7TCA04RQ-D149	71,510,000 IR
UVR7TCG08RQ-D189	109,000,000 IR
UVR6TH16Q-N5C2	192,930,000 IR



## AM Plus Series <sup>1080P Lite</sup>

### 1. UVR7TAA04AMPlus-D54G



H.265+ 4ch 1080P Lite 15fps 5 in1 UVR  
4ch 1080P Lite 15fps Recording/ 4ch Playback  
Video I/O: 4/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS, SATA\*1(8T HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter Mic Support in Coaxial Mode  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing . Area Intrusion , **Deterrence Support**  
**4ch SMD based on Human and Vehicle**  
Extra 2CH IP Event Stream Lock Files . Multi Cast



28,890,000 IR

### 2. UVR7TAA08AMPlus-D58G



H.265+ 8ch 1080P Lite 12fps 5 in1 UVR  
8ch 1080P Lite 12fps Recording/ 8ch Playback  
Video I/O: 8/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS, SATA\*1(8T HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode , **Deterrence Support**  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing . Area Intrusion  
**4ch SMD based on Human and Vehicle**  
Extra 2CH IP Event Stream . Lock Files . Multi Cast



39,240,000 IR

### 3. UVR7TCA16AMPlus-D5C6



H.265+ 16ch 1080P Lite 12fps 5 in1 UVR  
16ch 1080P Lite 12fps Recording/ 16ch Playback  
Video I/O: 8/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS, SATA\*1(8T HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode , **Deterrence Support**  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing . Area Intrusion  
**8ch SMD based on Human and Vehicle**  
Extra 2CH IP Event Stream . Lock Files . Multi Cast



67,580,000 IR

## H Series <sup>5MP Lite</sup>

### 4. UVR7TAA04H-D54G



H.265+ 4CH 5MP Lite@ 12fps UVR  
4ch 5MP Lite@12fps Recording/4ch Playback  
4ch 1080P@15fps Recording/4ch Playback  
Video I/O:4/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA\*1(8TB HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode  
Smart Playback . Cloud Update . Cloud Storage Line Crossing . Area Intrusion  
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



38,050,000IR

### 5. UVR7TCA08H-D58G



H.265+ 8CH 5MP Lite@ 12fps UVR  
4ch 5MP Lite@12fps Recording/4ch Playback  
4ch 1080P@15fps Recording/4ch Playback  
Video I/O:8/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA\*1(8 T HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode  
Smart Playback . Cloud Update . Cloud Storage Line Crossing . Area Intrusion  
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



59,080.000IR



## 6. UVR7THB16H-D5C8



H.265+ 16CH 5MP Lite@12fps UVR  
16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback  
Video I/O: 16/1; Audio I/O: 4/1; HDMI,VGA,CVBS,  
SATA\*1(8T HDD), 3G/4G, WIFI, PTZ ,USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode  
Line Crossing . Area Intrusion . Region Entrance . Region Existing  
Fast Moving .Unattended Object . Object Missing .  
**Face Detection**, Cloud Storage & Upgrade .  
Smart Playback .Multi Cast. Extra 4CH IP, Dimension:250(W)x230(D)x45(H)mm



119,900,000 IR

## 7. UVR7THB16H-G1C5



H.265+ 16CH 5MP Lite@12fps UVR  
16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback  
Video I/O: 16/1; Audio I/O: 4/1; Alarm I/O: 4/1,HDMI,VGA,CVBS,  
SATA\*2(8T HDD), 3G/4G, WIFI, PTZ USB Mouse, DC12V/4A Adapter  
Mic Support in Coaxial Mode  
Line Crossing . Area Intrusion . Region Entrance  
Region Existing Fast Moving . Unattended Object . Object Missing .  
**Face Detection**, Cloud Storage & Upgrade , Smart Playback  
Multi Cast , Extra 4CH IP, Dimension:326(W)x243(D)x52(H)mm



136,250,000 IR

## AH Series <sup>5MP Lite</sup>

## 8. UVR7TAA04AH-D14G



H.265+ 4ch 5MP Lite@10fps UVR  
4CH 5M Lite@10fps/4M Lite@15fps/1080P@15fps Recording/4ch Playback  
Video I/O:4/1; Audio I/O: 1/1; HDMI,VGA,CVBS,SATA\*1(8TB HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode , **Deterrence Support**  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing , Area Intrusion , **Face detection**  
**4ch SMD based on Human and Vehicle , PP**  
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



39,900,000IR

## 9. UVR7TAB08AH-D18A



H.265+ 8CH 5MP Lite@ 10fps UVR  
8CH 5M Lite@10fps/4M Lite@15fps/1080P@15fps Recording/8ch Playback  
Video I/O:8/1; Audio I/O: 1/1; HDMI,VGA,CVBS,SATA\*1(8TB HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode , **Deterrence Support**  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing , Area Intrusion , **Face detection**  
**8ch SMD based on Human and Vehicle , PP**  
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



62,000,000IR



## 10. UVR7THB16H-D5C8



H.265+ 16CH 5MP Lite@12fps UVR  
16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback  
Video I/O: 16/ 1; Audio I/O: 4/ 1; HDMI,VGA,CVBS,  
SATA\*1(8T HDD), 3G/4G, WIFI, PTZ ,USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode  
Line Crossing . Area Intrusion . Region Entrance . Region Existing  
Fast Moving .Unattended Object . Object Missing .  
Face Detection, Cloud Storage & Upgrade .  
Smart Playback .Multi Cast. Extra 4CH IP, Dimension:250(W)x230(D)x45(H)mm



119,900,000 IR

## 11. UVR7THB16H-G1C5



H.265+ 16CH 5MP Lite@12fps UVR  
16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback  
Video I/O: 16/ 1; Audio I/O: 4/ 1; Alarm I/O: 4/ 1,HDMI,VGA,CVBS,  
SATA\*2(8T HDD), 3G/4G, WIFI, PTZ USB Mouse, DC12V/4A Adapter  
Mic Support in Coaxial Mode  
Line Crossing . Area Intrusion . Region Entrance  
Region Existing Fast Moving . Unattended Object . Object Missing .  
Face Detection, Cloud Storage & Upgrade , Smart Playback  
Multi Cast , Extra 4CH IP, Dimension:326(W)x243(D)x52(H)mm



136,250,000 IR

## RQ & Q Series <sup>8MP</sup>

## 12. UVR7TCA04RQ-D149



H.265+ 4CH 8MP 5 in 1 UVR  
4ch 8MP 7fps Recording / 1ch Playback 4ch 5MP 12fps Recording /  
4ch Playback 4ch 8MP Lite 15fps Recording / 4ch Playback Video I/O:4/ 1; Audio 4/ 1  
HDMI,VGA,CVBS,SATA\*1(10T HDD), 3G/4G, WIFI, PTZ DC  
12V/2A Adaptor Event Stream . Lock Files . Multicast Human Body Detection  
Smart Playback . Cloud Update . Cloud Storage . USB Mouse  
Line Crossing . Area Intrusion . Region Entrance . Region Existing Fast Moving .  
Unattended Object . Object Missing . Face Detection  
Extra 4CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



71,510,000 IR

## 13. UVR7TCG08RQ-D189



H.265+ 8CH 8MP 5 in 1 UVR  
8ch 8MP 7fps Recording / 4ch Playback  
8ch 5MP 12fps Recording / 8ch Playback  
4ch 8MP Lite 15fps Recording / 8ch Playback  
Video I/O:8/ 1; Audio 4/ 1;RS485  
HDMI,VGA,CVBS,SATA\*1(10T HDD), 3G/4G, WIFI, PTZ  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing . Area Intrusion  
Extra 8CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



109,000,000 IR

## 14. UVR6TH16Q-N5C2



H.265+ 16CH 8MP Lite 5 in 1 UVR  
Channel Number: 16ch Analog 16ch 8MP 7fps Recording/  
4ch Playback 16ch 5MP Lite 12fps Recording/8ch Playback  
Video I/O: 16/ 1; Audio 4 /1; Alarm I/O 16/ 4  
HDMI,VGA,CVBS,SATA 2\*(8T HDD), 3G/4G, WIFI, PTZ  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing . Area Intrusion . Region Entrance . Region Existing Fast Moving  
Unattended Object . Object Missing . Face Detection  
Extra 4CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



192,930,000IR

# 2MP

## Bullet Fixed

UVC222B1AR-M	11,560,000 IR
UVC222B49M(2.8mm)	11,560,000 IR
UVC78B29R	12,540,000 IR
UVC222B49M-M(3.6mm)	12,750,000 IR
UVC222B49M-C(2.8mm)	13,740,000 IR
UVC222B1AM-M (3.6mm)	13,960,000 IR
UVC222B1AM-M (4.0mm)	13,960,000 IR
UVC231B1AR-L	14,170,000 IR
UVC222B49M-MC(2.8mm)	14,500,000 IR
UVC232B1AR-MC (2.8mm)	14,900,000 IR
UVC64B1A	15,050,000 IR
UVC78B29 (2.8mm)	16,030,000 IR
UVC221B59M (2.8mm)	16,570,000 IR

## Bullet Varifocal

UVC85C29	17,010,000 IR
----------	---------------

## Dome Varifocal

UVC85E97	17,010,000 IR
----------	---------------

## Dome Motorized

UVC64C59Z	38,150,000 IR
-----------	---------------

## Dome Fixed

UVC232T43P-M(2.8mm)	8,620,000 IR
UVC222T43P-MC(2.8mm)	9,810,000 IR
UVC222T9AR-M(2.8mm)	12,210,000 IR
UVC231T9AR-L	14,170,000 IR
UVC232T9AR-MC(2.8mm)	14,900,000 IR
UVC64T9A	15,050,000 IR



# 5MP

## Bullet Fixed

UVC531B19M(2.8mm)	15,810,000 IR
UVC532B49M(2.8mm)	16,030,000 IR
UVC522B49M-M(2.8mm)	16,350,000 IR
UVC522B49M-MC(2.8mm)	18,100,000 IR
UVC532B1AR-MC(2.8mm)	19,080,000 IR
UVC522B59M(2.8mm)	21,590,000 IR
UVC60B29(2.8mm)	21,590,000 IR

## Bullet Varifocal

UVC83C29	21,040,000 IR
UVC532C59M	26,160,000 IR

## Dome Varifocal

UVC83E97	21,040,000 IR
----------	---------------

## Dome Fixed

UVC532T43P-M(2.8mm)	12,320,000 IR
UVC522T43P-MC(2.8mm)	13,470,000 IR
UVC522T45P-MC(2.8mm)	14,170,000 IR
UVC522T9AR(2.8mm)	15,050,000 IR
UVC522T9AR-M(2.8mm)	16,900,000 IR
UVC532T9AR-MC(2.8mm)	19,080,000 IR



### 1. UVC222B1AR-M



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
IR Cut, 2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , Built in Mic  
2pcs SMD LED , Starlight  
IR range up to 30M  
3.6mm Lens  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: c66X175.3mm

Gross Weight: 280g



11,560,000 IR

### 2. UVC222B49M (2.8mm)



1/ 2.9" CMOS Sensor  
2MP@25/30  
IR Cut, 2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , Starlight  
2pcs SMD LED  
IR range up to 30M  
2.8 mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: c68X153mm

Gross Weight: 300g



11,560,000 IR

### 3. UVC78B29R



1/ 2.9" CMOS Sensor/2MP  
IR Cut, 2D/3D DNR, UTC  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
4pcs SMD LED  
IR range up to 40M  
3.6mm Lens  
Weather Resistance : IP66

Metal + Plastic Housing  
Size: c235X83X72.7mm

Gross Weight: 520g



12,540,000 IR

### 4. UVC222B49M-M (3.6mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
IR Cut , 2D DNR, UTC , DWDR  
AHD/TVI/CVI/CVBS Output  
Starlight , Built in Mic  
Fixed Bullet Camera  
2pcs SMD LED  
IR range up to 30M  
3.6mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: c68X153mm

Gross Weight: 300g



12,750,000 IR

### 5. UVC222B49M-C (2.8mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
2D DNR, UTC , DWDR  
AHD/TVI/CVI/CVBS Output  
Full color , Starlight  
Fixed Bullet Camera  
2pcs Warm light  
IR range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67

Metal Housing  
Size: c68X153mm

Gross Weight: 300g



13,740,000 IR

### 6. UVC222B1AM-M (3.6mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , Built in Mic  
2pcs SMD LED , Starlight  
IR range up to 30M  
3.6mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: c68X172.3mm

Gross Weight: 400g



13,960,000 IR



**7. UVC222B1AM-M**  
(4.0mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera, Built in Mic  
2pcs SMD LED, Starlight  
IR range up to 30M  
4.0mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: c68X172.3mm

Gross Weight: 400g



13,960,000 IR

**8. UVC231B1AR-L**



1/ 3" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
2pcs SMD LED + 1pcs White light  
IR range up to 30M  
3.6 mm Lens  
Weather Resistance : IP67


Metal + Plastic Housing  
Size: c65.5X183mm

Gross Weight: 220g



14,170,000 IR

**9. UVC222B49M-MC**  
(2.8mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Full color, Starlight  
Fixed Bullet Camera, Built in Mic  
2pcs Warm light  
IR range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67


Metal Housing  
Size: Ø68x153mm

Gross Weight: 300g



14,500,000 IR

**10. UVC232B1AR-MC**  
(2.8mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Full color, Starlight  
Fixed Bullet Camera, Built in Mic  
2pcs Warm light  
IR range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: c68X153mm

Gross Weight: 280g



14,900,000 IR

**11. UVC64B1A**



1/ 2.9" Sony CMOS Sensor  
2MP@25/30fps  
IRCUT, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Super Starlight  
Fixed Bullet Camera  
2pcs SMD LED  
IR range up to 30M  
3.6mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: c62X163mm

Gross Weight: 400g



15,050,000 IR

**12. UVC78B29**  
(2.8mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
30pcs SMD LED  
IR range up to 50M  
2.8mm Lens  
Weather Resistance : IP66

Metal Housing  
Size: c67X211mm

Gross Weight: 720g



16,030,000 IR





### 13. UVC221B59M (2.8mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
3Pcs SMD LED  
IR range up to 50M  
2.8mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: c68X172.3mm

Gross Weight: 400g



16,570,000 IR

### 14. UVC232T43P-M (2.8mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera, Built in Mic  
1pcs SMD LED, Starlight  
IR range up to 25M  
2.8mm Lens  
Weather Resistance : IP65

Plastic Housing  
Size: c96.8X85.5mm

Gross Weight: 120g



8,620,000 IR


### 15. UVC222T43P-MC (2.8mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Full color, Starlight  
Fixed Dome Camera, Built in Mic  
2pcs Warm light  
IR range up to 25M  
2.8mm Lens, F1.6  
Weather Resistance : IP65

Plastic Housing  
Size: c68X153mm

Gross Weight: 120g



9,810,000 IR

### 16. UVC222T9AR-M (2.8mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Starlight  
Fixed Dome Camera, Built in Mic  
2pcs SMD LED  
IR range up to 30M  
2.8mm Lens  
Weather Resistance : IP67

Plastic+ Plastic Housing  
Size: c102 x 82.4(H) mm

Gross Weight: 220g



12,210,000 IR

### 17. UVC231T9AR-L (2.8mm)



1/ 3" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera  
2pcs SMD LED + 1pcs White light  
IR range up to 30M  
3.6 mm Lens  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: c 102 x 82.4(H) mm

Gross Weight: 205g



14,170,000 IR

### 18. UVC232T9AR-MC (2.8mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Full color, Starlight  
Fixed Dome Camera, Built in Mic  
2pcs Warm light  
IR range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67

Plastic Housing  
Size: c102 x 82.4(H) mm

Gross Weight: 220g



14,900,000 IR



### 19. UVC64T9A



1/ 2.9" Sony CMOS Sensor  
2MP@25/30fps  
IRCUT, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Super Starlight  
Fixed Dome Camera  
2pcs SMD LED  
IR range up to 30M  
3.6mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: c 102X82.4mm

Gross Weight: 350g



15,050,000 IR

### 20. UVC85C29



1/ 2.9" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Bullet Camera  
30pcs SMD LED  
IR range up to 50M  
2.8-12mm Varifocal Lens  
Weather Resistance : IP66

Metal Housing  
Size: c 67 x 211 mm

Gross Weight: 720g



17,010,000 IR

### 21. UVC85E97



1/ 2.9" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Dome Camera  
24 pcs SMD LED  
IR range up to 40M  
2.8-12mm Varifocal Lens  
Weather Resistance : IP66

Metal Housing  
Size: c 120\*108mm

Gross Weight: 650g



17,010,000 IR

### 22. UVC64C59Z



1/ 2.8" Sony CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Super Starlight  
Motorized Bullet Camera  
3 pcs SMD LED  
IR range up to 50M  
2.8-12mm Motorized Lens  
Weather Resistance : IP67

Metal Housing  
Size: Φ235\*83×72.7mm

Gross Weight: 700g



38,150,000 IR

### 23. UVC531B19M

(2.8mm)



1/ 2.5" CMOS Sensor  
5MP@20fps  
IRCUT, 2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
18pcs SMD LED  
IR range up to 30M  
2.8mm Lens  
Weather Resistance : IP66

Metal Housing  
Size: c152 x 67.5 mm

Gross Weight: 270g



15,810,000 IR

### 24. UVC532B49M

(2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
IR Cut, 2DDNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
2pcs SMD LED  
IR range up to 30M  
2.8mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: c68X153mm

Gross Weight: 300g



16,030,000 IR



## 25. UVC522B49M-M (2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
IR Cut, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , Built in Mic  
2pcs SMD LED  
IR range up to 30M  
2.8mm Lens,F1.6  
Weather Resistance : IP67

Metal Housing  
Size: c68X153mm

Gross Weight: 300g



16,350,000 IR

## 26. UVC522B49M-MC (2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,Fullcolor  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , Built in Mic  
2pcs Warmlight,  
IR range up to 30M  
2.8mm Lens,F1.6  
Weather Resistance : IP67

Metal Housing  
Size: c68X153mm

Gross Weight: 300g



18,100,000 IR

## 27. UVC532B1AR-MC (2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,Fullcolor  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , Built in Mic  
2pcs Warmlight,  
IR range up to 30M  
2.8mm Lens,F1.6  
Weather Resistance : IP67

Metal+Plastic Housing  
Size: c66X175.3mm

Gross Weight: 280g



19,080,000 IR

## 28. UVC522B59M (2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
IR Cut, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
3pcs SMD LED  
IR range up to 50M  
2.8mm  
Weather Resistance : IP66

Metal Housing  
Size: 235x83x72.7mm

Gross Weight: 700g



21,590,000 IR

## 29. UVC60B29 (2.8mm)



1/ 2.5" CMOS Sensor  
5MP@20fps  
IR Cut, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
4pcs SMD LED  
IR range up to 50M  
2.8mm  
Weather Resistance : IP66

Metal Housing  
Size: 235x83x72.7mm

Gross Weight: 750g



21,590,000 IR



### 30. UVC532T43P-M (2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera , Built in Mic  
1pcs SMD LED  
IR range up to 25M  
2.8mm Lens  
Weather Resistance : IP65

Plastic Housing  
Size: c96.8X85.5mm

Gross Weight: 120g



### 31. UVC522T43P-MC (2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,Fullcolor  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera ,Built in Mic  
2pcs Warmlight,  
IR range up to 25M  
2.8mm Lens,F1.6  
Weather Resistance : IP65

Plastic Housing  
Size: c96.8X85.5mm

Gross Weight: 120g



### 32. UVC522T45P-MC (2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,Fullcolor  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera ,Built in Mic  
2pcs Warmlight,  
IR range up to 25M  
2.8mm Lens,F1.6  
Weather Resistance : IP65

Plastic Housing  
Size: c96.8X85.5mm

Gross Weight: 120g



### 33. UVC522T9AR (2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
IR CUT, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera  
2pcs SMD LED  
IR range up to 30M  
2.8mm Lens  
Weather Resistance : IP67

Metal+Plastic Housing  
Size: c102X82.4mm Gross Weight: 205g



### 34. UVC522T9AR-M (2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
IR Cut, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera ,Built in Mic  
2pcs SMD LED  
IR range up to 30M  
2.8mm Lens  
Weather Resistance : IP67

Metal+Plastic Housing  
Size: 102×82.4×72.7mm

Gross Weight: 205g



### 35. UVC532T9AR-MC (2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,Fullcolor  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera ,Built in Mic  
2pcs Warmlight,  
IR range up to 30M  
2.8mm Lens,F1.6  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: C102X82.4mm

Gross Weight: 205g



19,080,000 IR

### 36. UVC83C29



1/ 2.5" CMOS Sensor  
5MP@20fps  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Bullet Camera  
30pcs SMD LED  
IR range up to 50M  
3.3-12mm Varifocal Lens  
Weather Resistance : IP66

Metal Housing  
Size: c 67 x 211 mm

Gross Weight: 720g



21,040,000 IR

### 37. UVC532C59M



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Bullet Camera  
3pcs SMD LED,  
IR range up to 50M  
3.3-12mm Varifocal Lens  
Weather Resistance : IP67

Metal Housing  
Size: C235X83X72.7mm

Gross Weight: 700g



26,160,000 IR

### 38. UVC83E97



1/ 2.5" CMOS Sensor  
5MP@20fps  
IRCUT, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Dome Camera  
24pcs SMD LED  
IR range up to 40M  
3.3-12mm Varifocal Lens  
Weather Resistance : IP66

Metal Housing  
Size: C120X108mm

Gross Weight: 650g



21,040,000 IR

